

# Global Century

*An innovative concept in fuel dispensers,  
where high technology and operational  
economy come together*



Hose masts are an optional extra item



## Global Century

Real benefits for customers, distributors and service stations.

New Wayne hydraulics with fewer parts for improved throughput, reliability and service access.

High technology iGEM computer with communication port for interface to Wayne management control systems.

Remote control for computer programming.

High technology iMeter with electronic calibration via an integrated intelligent pulser.

New Wayne proportional solenoid valve for accurate delivery control.



## Model variants

3/G2201P\*/\*\*, 3/G2201D\*/\*\* 1 product, 1 hose  
**SINGLE 40**

3/G2202P\*, 3/G2202D\* 1 product, 2 hoses  
**TWIN 40/40**

3/G2202P, 3/G2202D 1 product, 2 hoses  
**TWIN 70/70**

3/G2203P\*, 3/G2203D\* 2 products, 2 hose  
**DUO 40/40**

3/G2203P 2 products, 2 hose  
**DUO 40/40-70**

3/G2203/2/2P, 3/G2203/2/2D 2 products, 2 hose  
**DUO 40/70**

3/G2211P, 3/G2211D 1 product, 1 hose  
**SINGLE 90**

3/G2211P, 3/G2211D 1 product, 1 hose  
**SINGLE 40-90**

3/G2221P, 3/G2221D 1 product, 1 hose  
**SINGLE 130**

3/G2222P//2 1 product, 2 hose  
**TWIN 40/130**

3/G2222P/2 1 product, 2 hoses  
**TWIN 70/130**



Standard flow rate 40 l/min

\* 70l/min Configuration available (add /2)

\*\* 40-70 Configuration available

P=Pump (suction pump)

D=Dispenser (submersible pump)

### **Measurements**

Length	825 mm
Width	500 mm
Total height	1610 mm
Weight	116-262 kg depending on model

### **Capacity**

40-130 litres/min, depending on model, connection dimensions, pipe length and pump-suction height.

All flow rates shown will depend on the actual installation conditions and the optional accessories, which may or may not be fitted to the pump.

### **Electrical connection**

230/400 V AC, 3-phase. 230 V AC, 1-phase

### **Frequency**

50 Hz +-2%

### **Temperature range**

-30° C to +60° C

### **Hose**

Reach            3,5 m

### **Options**

- Break-away
- Sight Glass
- Hoses and nozzles
- Nozzle latch break
- Locking device for nozzle
- Preset
- Heating element and thermostat
- Electromechanical totalizers
- Lighting relay
- CPU-board with galvanic separation
- Paper Filter
- Customer specific key-lock
- Vapour recovery
- Vacuum meter
- Drip-pan
- Foundation frame
- Biodiesel
- Junction box high voltage
- Junction box communication
- Power switch
- Hose Mast
- Customized colour
- Cathodic protection
- T-connection (remote models 3/G2221D and 3/G2227D)
- European Single Inlet (high capacity suction models)
- Mechanical Pulse Interface
- Mechanical Pulse Interface Plus (only GC Single models)
- Global Inlet (different lengths)
- VR-tightness test



Dresser Wayne Pignone, a business unit of Dresser, Inc., is a technology leader in the manufacture, service and supply of retail and fleet petroleum fuel dispensers, dispenser control systems, credit/debit card processing terminals, and point-of-sale systems. From our manufacturing facilities in the US, Brazil, Sweden, UK, Italy and China, Wayne's innovative products are used in over 75 countries.

**Dresser Wayne EMEA Regional Offices**

Finland	+358 9 591 9462	sari.tevalin@dresser.fi
Benelux, France	+44 1635 49271	Tim.Beecroft@Dresser.com
Central Europe	+49 5561 79 41 66	info@wayne-europe.com
Germany	+49 5561 7940	info@wayne-europe.com
Eastern Europe, ME & Libya	+39 02 5204 4458	info.distribution@DWItaly.com
Italy, Greece	+39 02 5205 4547	info.distribution@DWItaly.com
Latvia	+371 308 1300	info@dresser.lv
Algeria, Tunisia & Morocco	+39 02 5204 4468	info.distribution@DWItaly.com
Norway	+47 67 17 58 13	sten.ove.jeppesen@wayne.no
Poland	+48 585 53 3611	dresser@softel.gda.pl
CIS, Baltic States	+46 40 36 05 42	ili@wayne.se
Spain, Portugal	+34 902 36 59 24	spain@wayne-europe.com
Switzerland	+41 1804 2600	info@dresser.ch
UK & Ireland	+44 1875402140	uk.sales@dresser.com

Distributor:



**Headquarters**

3814 Jarrett Way  
Austin, TX 78728  
Phone: +1 512.388.8311  
Fax: +1 512.388.8302  
www.wayne.com

**Wayne Pignone**

Deg Italia S.p.a.  
Via Giovanni Piantanida, 12  
50127 Florence ,Italy  
Phone +39 055 3039 200  
Fax +39 055 3039 007

**Wayne Brazil**

Estrada do Timbo  
126-Bonsucesso  
Rio de Janeiro, Brazil  
Phone: +55-21-2598-7711  
Fax: +55-21-2598-7860

**Wayne China**

1221 Dong Lu Road  
Pudong, Shanghai 200135  
China  
Phone: +8 21-5899-3976  
Fax: +8 21-5899-0974

**Wayne Sweden**

Limhamnsvägen 109  
Box 30049  
SE-200 61 Malmo Sweden  
Phone: +46 40 360500  
Fax: +46 40150381